




China 608z Bearing Supplier



51136 NTN Thrust Spherical Roller Bearing

Bearing No. 51136

Size	180x225x34 mm
Bore Diameter	180 mm
Outer Diameter	225 mm
Width	34 mm
d	180 mm
D	225 mm
T	34 mm
d1	222 mm
r min.	1,1 mm
D1	183 mm
da min.	207 mm
Da max.	198 mm
ra max.	1 mm
Weight	2,92 Kg
Basic dynamic load rating (C)	135 kN
Basic static load rating (C0)	525 kN
(Grease) Lubrication Speed	1 100 r/min
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	2.72
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction

51136 Bearing 2D drawings and 3D CAD models



China 608z Bearing Supplier

Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	180MM Bore 1; 183MM Bore 2; 225MM Outside Diameter; 34MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	6.4375
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	7.087 Inch 180 Millimeter
Outside Diameter	8.858 Inch 225 Millimeter
Height	1.339 Inch 34 Millimeter
Bore 2	7.205 Inch 183 Millimeter
bore diameter:	180 mm
dynamic load capacity:	135000 N
outside diameter:	222 mm
operating temperature range:	-40 to 120 ° C
overall width:	34 mm
maximum rpm:	1500 rpm



China 608z Bearing Supplier

thrust bearing type:	Single-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Steel
separable or banded:	Separable
fillet radius:	1.1 mm
precision rating:	ISO Class 0
manufacturer product page:	Click here
static load capacity:	525000 N